





THE VITAL COMPONENT

WEBSITE PHOTOS



This dwg is for reference only, Actual dwg should be based on formal engineering dwg.



A
2.0



the **vital**
component

PART NUMBER			KWH3-2 (above)			Spacer Support						
TITLE									See series table for more options			
MATERIAL						COLOR						
NYLON 66(UL) 94V-2						NATURAL						
SIZE		SCALE		UNIT		CHECK						
A4		2:1		mm		Z.C						

PART NO	A	
KWH3-3.5	3.5	
	[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.	
KWH3-3	3.0	
	[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.	
KWH3-4	4.0	
	[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.	
KWH3-5	5.0	
	[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.	
KWH3-6	6.0	
	[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.	
KWH3-7	7.0	
	[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.	
KWH3-8	8.0	
	[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.	
KWH3-9	9.0	
	[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.	
KWH3-10	10.0	
	[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.	
KWH3-11	11.0	
	[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.	
KWH3-12	12.0	
	[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.	
KWH3-12.7	12.7	
	[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.	
KWH3-13	13.0	
	[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.	
KWH3-14	14.0	
	[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.	

PART NO	A	
KWH3-15	15.0	
	[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.	
KWH3-16	16.0	
	[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.	
KWH3-17	17.0	
	[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.	
KWH3-18	18.0	
	[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.	
KWH3-19	19.0	
	[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.	
KWH3-20	20.0	
	[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.	
KWH3-21	21.0	
	[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.	
KWH3-22	22.0	
	[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.	
KWH3-23	23.0	
	[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.	
KWH3-24	24.0	
	[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.	
KWH3-25	25.0	
	[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.	
KWH3-26	26.0	
	[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.	
KWH3-27	27.0	
	[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.	
KWH3-28	28.0	
	[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.	

PART NO	A	
KWH3-29	29.0	
	[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.	
KWH3-30	30.0	
	[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.	
KWH3-6.3	6.3	
	[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.	
KWH3-9.5	9.5	
	[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.	
KWH3-15.9	15.9	
	[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.	
KWH3-25.4	25.4	
	[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.	
KWH3-11.5	11.5	
	[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.	