





THE VITAL COMPONENT

WEBSITE PHOTOS



This dwg is for reference only, Actual dwg should be based on formal engineering dwg.



A
2.0

the **vital**
component

PART NUMBER			SPEC. DWG.		
KWH3.5-2					
TITLE					
See Series Table For More Options					
MATERIAL			COLOR		
NYLON 66(UL) 94V-2			NATURAL		
SIZE	SCALE	UNIT	CHECK		
A4	2:1	mm	Z.C		

PART NO	A	
KWH3.5-3	3.0	
	[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.	
KWH3.5-4	4.0	
	[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.	
KWH3.5-5	5.0	
	[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.	
KWH3.5-6	6.0	
	[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.	
KWH3.5-7	7.0	
	[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.	
KWH3.5-8	8.0	
	[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.	
KWH3.5-9	9.0	
	[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.	
KWH3.5-10	10.0	
	[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.	
KWH3.5-11	11.0	
	[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.	
KWH3.5-12	12.0	
	[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.	
KWH3.5-12.7	12.7	
	[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.	
KWH3.5-13	13.0	
	[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.	
KWH3.5-14	14.0	
	[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.	
KWH3.5-15	15.0	
	[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.	

PART NO	A	
KWH3.5-16	16.0	
		[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.
KWH3.5-17	17.0	
		[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.
KWH3.5-18	18.0	
		[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.
KWH3.5-19	19.0	
		[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.
KWH3.5-20	20.0	
		[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.
KWH3.5-21	21.0	
		[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.
KWH3.5-22	22.0	
		[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.
KWH3.5-23	23.0	
		[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.
KWH3.5-24	24.0	
		[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.
KWH3.5-25	25.0	
		[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.
KWH3.5-26	26.0	
		[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.
KWH3.5-27	27.0	
		[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.
KWH3.5-28	28.0	
		[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.
KWH3.5-29	29.0	
		[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.

PART NO	A	
KWH3.5-30	30.0	
		[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.
KWH3.5-6.3	6.3	
		[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.
KWH3.5-15.9	15.9	
		[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.
KWH3.5-25.4	25.4	
		[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.