




THE VITAL COMPONENT

⚠ This dwg is for reference only, Actual dwg should be based on formal engineering dwg.

P.C.B ϕ 3.0
THICKNESS 0.8~2.0



P.C.B ϕ 4.0
THICKNESS 1.2~2.6

A
3.5

All measurement does not include gate which raises under 0.3mm.



the **vital**
component

PART NUMBER		LCH-3		SPEC. DWG. 1 / 2	
TITLE					
SPACER SUPPORT					
MATERIAL			COLOR		
NYLON 66(UL) 94V-2			NATURAL		
SIZE	SCALE	UNIT	CHECK		
A4	2:1	mm	Z.C		

PART NO	A	
LCH-4	4.0	[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.
LCH-5	5.0	[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.
LCH-6	6.3	[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.
LCH-7	7.4	[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.
LCH-8	8.5	[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.
LCH-10	10.0	[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.
LCH-11	11.0	[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.
LCH-12	12.7	[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.
LCH-15	15.9	[1] NYLON 66(UL), Flame class: 94V-0/94V-2, Color: BLACK/NATURAL.