


PCB LAYOUT/TOP VIEW







MATERIALS:

PLASTIC HOUSING: ENGINEERING THERMOPLASTIC
 FLAMMABILITY RATING UL 94V-0. (BLACK)

CONTACTS: PHOSPHOR BRONZE


PLATING: GOLD PLATING OVER NICKEL IN CONTACT.
 TIN PLATING OVER NICKEL IN SOLDER AREA.

設計 DR. YANG	核准 APPD. Jerry	容許公差 .XXX .XX .X X ANG	TOLERANCE ±0.10 ±0.25 ±0.38 ±0.50 ±3°	品名 ARTICLE 2x4 PCB JACK (8P8C)
93-03-11	93-03-11	版本說明 REVISION NOTE		圖號 DWG NO. 3022405600
P/N 3022-4-881	慶陞			單位 UNIT mm
		比例 SCALE	張數 SHEET	版本 REV. A
		2/1	1/1	



RoHS COMPLIANT

PCB LAYOUT/TOP VIEW






MATERIALS:

PLASTIC HOUSING: ENGINEERING THERMOPLASTIC
 FLAMMABILITY RATING UL 94V-0.
 CONTACTS: PHOSPHOR BRONZE
 PLATING: GOLD PLATING OVER NICKEL IN CONTACT.
 TIN PLATING OVER NICKEL IN SOLDER AREA.
 SHIELD: BRASS ALLOY.




設計 DR. LILY 2021/09/07	核准 APPD. Marco 2021/09/07	容許公差 .XXX ±0.10 .XX ±0.25 .X ±0.38 X ±0.50 ANG ±3°	TOLERANCE	品名 ARTICLE 2*1 PCB JACK (SHIELD 8P8C)
版本說明 REVISION NOTE -----E302-2109005-----				圖號 DWG NO. 3022105632
P/N 3022S-1-881				單位 UNIT mm
				比例 SCALE 張數 SHEET 版本 REV. 3/1 1/1 A

RoHS COMPLIANT


PLASTIC HOUSING: ENGINEERING THERMOPLASTIC
 FLAMMABILITY RATING UL 94V-0.
 CONTACTS: PHOSPHOR BRONZE
 GOLD PLATED ON CONTACT AREA,
 GOLD FLASH PLATED ON SOLDER TAIL,
 WITH ENTIRE CONTACT UNDERPLATED
 50 μ " MIN. NICKEL
 SHIELD: BRASS ALLOY.



設計 DR. LILY 2022/06/08	核准 APPD. Marco 2022/06/08	容許公差 .XXX ±0.10 .XX ±0.25 .X ±0.38 X ±0.50 ANG ±3°	TOLERANCE	品名 ARTICLE 2*2 PCB JACK (SHIELD 8P8C)
版本說明 REVISION NOTE				圖號 DWG NO. 3022205636
修正圖面尺寸公差為3.5±0.3mm,圖面發C版				單位 UNIT 比例 SCALE 張數 SHEET 版本 REV.
P/N 3022S-2-881R1				mm 1/15 1/1 C



PCB LAYOUT/TOP VIEW





MATERIALS:


PLASTIC HOUSING: ENGINEERING THERMOPLASTIC
 FLAMMABILITY RATING UL 94V-0. (BLACK)
 CONTACTS: PHOSPHOR BRONZE
 PLATING: GOLD PLATING OVER NICKEL IN CONTACT.
 TIN PLATING OVER NICKEL IN SOLDER AREA.
 SHIELD: BRASS ALLOY.

RoHS COMPLIANT

設計 DR. YANG 97-08-07	核准 APPD. Jerry 97-08-07	容許公差 .XXX ±0.10 .XX ±0.25 .X ±0.38 X ±0.50 ANG ±3°	TOLERANCE	品名 ARTICLE 2x4 PCB JACK (SHIELD 8P8C)
版本說明 REVISION NOTE				圖號 DWG NO. 3022405518
P/N 3022S-4-881				單位 UNIT 比例 SCALE 張數 SHEET 版本 REV. mm 2/1 1/1 A



PCB LAYOUT/TOP VIEW



PLASTIC HOUSING: ENGINEERING THERMOPLASTIC
 FLAMMABILITY RATING UL 94V-0. (BLACK)
 CONTACTS: PHOSPHOR BRONZE
 PLATING: GOLD PLATING OVER NICKEL IN CONTACT.
 TIN PLATING OVER NICKEL IN SOLDER AREA.
 SHIELD: BRASS ALLOY.

RoHS COMPLIANT

設計 DR. YANG 96-07-05	核准 APPD. Jerry 96-07-05	容許公差 .XXX ±0.10 .XX ±0.25 .X ±0.38 X ±0.50 ANG ±3°	TOLERANCE	品名 ARTICLE 2x8 PCB JACK (SHIELD 8P8C)
版本說明 REVISION NOTE ----- 修正鐵殼電鍍規格 -----				圖號 DWG NO. 3022815605
P/N 3022S-8-881	慶陞	單位 UNIT 比例 SCALE 張數 SHEET 版本 REV. mm 1.8/1 1/1 C		